



Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Date Released: 4/3/2023 9:10:01AM

Report #: 935

FH0281COMP032423

Sample #: 676, Weight: 8.00g, Unit Count:
Order #: X230327-0006

Category/Type: Plant, Flower - Cured
Date Collected: 3/27/2023 4:35:22PM
Date Received: 3/27/2023 6:16:06PM
Date Analyzed: 3/30/2023 12:57:18PM
Regulator Sample ID: FH0281
Regulator Source Package ID: FH0281
Regulator Batch ID: FH0281



Total Cannabinoids
25.65 %
256.5 mg/g



Total THC
22.03 %
220.3 mg/g



Total CBD
0.04 %
0.4 mg/g




Total Terpenes
1.5 %



Moisture
9.2 %



Heavy Metals
PASS



Microbials
PASS



Pesticides
PASS



Mycotoxins
PASS



Foreign Matter
PASS



Water Activity
PASS

Potency Analysis by HPLC

Total Cannabinoids: **25.65 % - 256.5 mg/g**
Total THC: **22.03 % - 220.3 mg/g**
Total CBD: **0.04 % - 0.4 mg/g**

Date Completed: 03/30/2023 10:09AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001	23.52	235.2	
d9-THC	1972-08-3	0.001	1.40	14.0	
CBGa	25555-57-1	0.001	0.58	5.8	
CBG	25654-31-3	0.001	0.10	1.0	
CBDa	1244-58-2	0.001	0.05	0.5	
d8-THC	5957-75-5	0.001	ND	ND	
d10-THC	95543-62-7	0.001	ND	ND	
THCV	31262-37-0	0.001	ND	ND	
CBD	13956-29-1	0.001	ND	ND	
CBDV	24274-48-4	0.001	ND	ND	
CBC	20675-51-8	0.001	ND	ND	
CBN	521-35-7	0.001	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Total CBD = CBD + (0.877*CBDA)

Total THC = d9-THC + d8-THC + d10-THC + (0.877*THCa) d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director
4/3/2023 9:16:04AM





Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 676

FH0281COMP032423

Terpenes by HS-GC-MS

Date Completed: 03/30/2023 11:55AM



Compound	CAS#	LOQ (%)	%	Relative Concentration
beta-Myrcene	123-35-3	0.1	0.4	
R(+)-Limonene	5989-27-5	0.1	0.4	
trans-Caryophyllene	87-44-5	0.1	0.2	
alpha-Humulene	6753-98-6	0.1	0.1	
alpha-Terpineol	98-55-5	0.1	0.1	
beta-Pinene	127-91-3	0.1	0.1	
Endo-Fenchyl Alcohol	14575-74-7	0.1	0.1	
Linalool	78-70-6	0.1	0.1	

Results based on dry weight

(-)-Borneol	464-45-9	0.1	ND
(-)-Caryophyllene Oxide	1139-30-6	0.1	ND
(-)-Isopulegol	89-79-2	0.1	ND
(+)-Borneol	464-43-7	0.1	ND
(+)-Cedrol	77-53-2	0.1	ND
(1R)-(+)-Camphor	464-49-3	0.1	ND
3-Carene	13466-78-9	0.1	ND
alpha-Bisabolol	515-69-5	0.1	ND
alpha-Cedrene	469-61-4	0.1	ND
alpha-Farnesene	502-61-4	0.1	ND
alpha-Pinene	80-56-8	0.1	ND
alpha-Terpinene	99-86-5	0.1	ND
beta-Farnesene	18794-84-8	0.1	ND

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director
4/3/2023 9:16:04AM





Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 676

FH0281COMP032423

Compound	CAS#	LOQ (%)	%	Relative Concentration
Camphene	79-92-5	0.1	ND	
cis-Nerolidol	142-50-7	0.1	ND	
cis-Ocimene	3338-55-4	0.1	ND	
Eucalyptol	470-82-6	0.1	ND	
Fenchone	1195-79-5	0.1	ND	
gamma-Terpinene	99-85-4	0.1	ND	
gamma-Terpineol	586-81-2	0.1	ND	
Geraniol	106-24-1	0.1	ND	
Geranyl Acetate	105-87-3	0.1	ND	
Guaiol	489-86-1	0.1	ND	
Hexahydro Thymol	15356-70-4	0.1	ND	
Nerol	106-25-2	0.1	ND	
p-Mentha-1,5-diene	99-83-2	0.1	ND	
Pulegone	89-82-7	0.1	ND	
Sabinene	3387-41-5	0.1	ND	
Sabinene Hydrate	546-79-2	0.1	ND	
Terpinolene	586-62-9	0.1	ND	
trans-Nerolidol	40716-66-3	0.1	ND	
trans-Ocimene	3779-61-1	0.1	ND	
Valencene	4630-07-3	0.1	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Date Completed: 03/30/2023 10:58 am

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.001	2.0	ND	Pass
Mammalian Excreta	0.001	0.03	ND	Pass
Stems	0.001	5.0	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director
4/3/2023 9:16:04AM



**Flowerhouse Walden LLC**

2736 NY-208
 Walden, NY 12586
 katie@flowerhouseny.com
 917-374-7735
 License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 676**FH0281COMP032423**

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture by Analyzer**Pass**

Date Completed: 03/30/2023 10:49 am

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	9.2	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity by Meter**Pass**

Date Completed: 03/30/2023 10:49 am

Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.30	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS**Pass**

Date Completed: 03/30/2023 12:52 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.01	0.5	ND	Pass
Acephate	0.01	0.4	ND	Pass
Acequinocyl	0.01	2	ND	Pass
Acetamiprid	0.01	0.2	ND	Pass
Aldicarb	0.01	0.4	ND	Pass
Azadirachtin	0.01	1	ND	Pass
Azoxystrobin	0.01	0.2	ND	Pass
Bifenazate	0.01	0.2	ND	Pass
Bifenthrin	0.01	0.2	ND	Pass
Boscalid	0.01	0.4	ND	Pass
Carbaryl	0.01	0.2	ND	Pass
Carbofuran	0.01	0.2	ND	Pass
Chlorantraniliprole	0.01	0.2	ND	Pass
Chlormequat Chloride	0.01	1	ND	Pass
Chlorpyrifos	0.01	0.2	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director
 4/3/2023 9:16:04AM





Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 676

FH0281COMP032423

Pesticides by LCMSMS

Pass

Date Completed: 03/30/2023 12:52 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Clofentezine	0.01	0.2	ND	Pass
Coumaphos	0.01	1	ND	Pass
Cyfluthrin	0.01	1	ND	Pass
Cypermethrin	0.01	1	ND	Pass
Daminozide	0.01	1	ND	Pass
Diazinon	0.01	0.2	ND	Pass
Dichlorvos	0.01	1	ND	Pass
Dimethoate	0.01	0.2	ND	Pass
Dimethomorph	0.01	1	ND	Pass
Ethoprophos	0.01	0.2	ND	Pass
Etofenprox	0.01	0.4	ND	Pass
Etoxazole	0.01	0.2	ND	Pass
Fenhexamid	0.01	1	ND	Pass
Fenoxycarb	0.01	0.2	ND	Pass
Fenpyroximate	0.01	0.4	ND	Pass
Fipronil	0.01	0.4	ND	Pass
Fonicamid	0.01	1	ND	Pass
Fludioxonil	0.01	0.4	ND	Pass
Hexythiazox	0.01	1	ND	Pass
Imazalil	0.01	0.2	ND	Pass
Imidacloprid	0.01	0.4	ND	Pass
Indolebutyric Acid	0.01	1	ND	Pass
Kresoxim-methyl	0.01	0.4	ND	Pass
Malathion	0.01	0.2	ND	Pass
Metalaxyl	0.01	0.2	ND	Pass
Methiocarb	0.01	0.2	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director
4/3/2023 9:16:04AM



**Flowerhouse Walden LLC**

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 676**FH0281COMP032423****Pesticides by LCMSMS****Pass**

Date Completed: 03/30/2023 12:52 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Mevinphos	0.01	1	ND	Pass
Myclobutanil	0.01	0.2	ND	Pass
Naled	0.01	0.5	ND	Pass
Oxamyl	0.01	1	ND	Pass
Paclobutrazol	0.01	0.4	ND	Pass
Permethrin	0.01	0.2	ND	Pass
Phosmet	0.01	0.2	ND	Pass
Piperonyl Butoxide	0.01	2	ND	Pass
Prallethrin	0.01	0.2	ND	Pass
Propiconazole	0.01	0.4	ND	Pass
Propoxur	0.01	0.2	ND	Pass
Pyrethrins Total	0.01	1	ND	Pass
Pyridaben	0.01	0.2	ND	Pass
Spinetoram	0.01	1	ND	Pass
Spinosad Total	0.01	.2	ND	Pass
Spiromesifen	0.01	0.2	ND	Pass
Spirotetramat	0.01	0.2	ND	Pass
Spiroxamine	0.01	0.2	ND	Pass
Tebuconazole	0.01	0.4	ND	Pass
Thiacloprid	0.01	0.2	ND	Pass
Thiamethoxam	0.01	0.2	ND	Pass
Trifloxystrobin	0.01	0.2	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS**Pass**

Date Completed: 03/30/2023 12:52 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
----------	------------	---------------	---------------	--------

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director

4/3/2023 9:16:04AM



**Flowerhouse Walden LLC**

2736 NY-208
 Walden, NY 12586
 katie@flowerhouseny.com
 917-374-7735
 License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 676**FH0281COMP032423****Mycotoxins by LCMSMS****Pass**

Date Completed: 03/30/2023 12:52 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.005	0.020	ND	Pass
Aflatoxin B2	0.005	0.020	ND	Pass
Aflatoxin G1	0.005	0.020	ND	Pass
Aflatoxin G2	0.005	0.020	ND	Pass
Ochratoxin A	0.005	0.020	ND	Pass
Total Aflatoxin	0.005	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS**Pass**

Date Completed: 03/30/2023 12:57 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.01	2	ND	Pass
Arsenic	0.001	0.2	ND	Pass
Cadmium	0.0015	0.3	ND	Pass
Chromium	0.275	110	ND	Pass
Copper	0.075	30	2.0	Pass
Lead	0.0025	0.5	ND	Pass
Mercury	0.0005	0.1	ND	Pass
Nickel	0.01	2	ND	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR**Pass**

Date Completed: 03/30/2023 12:03 pm

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	0	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	0	0	Not Detected	Pass
Aspergillus niger Qualitative	0	0	Not Detected	Pass
Aspergillus terreus Qualitative	0	0	Not Detected	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director
 4/3/2023 9:16:04AM





Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 676

FH0281COMP032423

Micro by Petri & qPCR

Pass

Date Completed: 03/30/2023 12:03 pm

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Salmonella Qualitative	0	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	0	0	Not Detected	Pass
Total Aerobic Bacteria	10		ND	Pass
Total Yeast & Mold	10		1000	Pass

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director
4/3/2023 9:16:04AM

