

Certificate of Analysis

Final



Flowerhouse Walden LLC

2736 NY-208
 Walden, NY 12586
 katie@flowerhouseny.com
 917-374-7735
 License #: OCM-AUCC-22-000111

Date Released: 6/21/2023 6:13:01PM

Report #: 2037

3.5g Jarred Flower

Sample #: 1388, Weight: 28.00g, Unit Count:
 Order #: X230531-0001

Category/Type: Plant, Flower - Cured
 Date Collected: 5/31/2023 4:49:16PM
 Date Received: 5/31/2023 4:52:23PM
 Regulator Sample ID: FH0352
 Regulator Source Package ID: FH0352
 Regulator Batch ID: FH0352

Size: 1184units, Unit Count:

| | | | | | |
|---|--|---|------------------------------|----------------------------|--------------------------|
| Total Cannabinoids 23.18 % 231.8 mg/g | Total THC 20.10 % 201.0 mg/g | Total CBD 0.08738 % 0.8738 mg/g | Total Terpenes 0.71 % | Moisture 10.6 % | Heavy Metals PASS |
| Microbials PASS | Pesticides PASS | Mycotoxins PASS | Foreign Matter PASS | Water Activity PASS | |

Potency Analysis by HPLC

Total Cannabinoids: **23.18 % - 231.8 mg/g**
 Total THC: **20.10 % - 201.0 mg/g**
 Total CBD: **0.08738 % - 0.8738 mg/g**

Date Completed: 06/21/2023 4:35PM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|----------|---------|--------|--------------------------------------|
| THCa | 23978-85-0 | 0.001000 | 22.56 | 225.6 | <div style="width: 22.56%;"></div> |
| d9-THC | 1972-08-3 | 0.001000 | 0.3141 | 3.141 | <div style="width: 0.3141%;"></div> |
| CBGa | 25555-57-1 | 0.001000 | 0.1559 | 1.559 | <div style="width: 0.1559%;"></div> |
| CBDA | 1244-58-2 | 0.001000 | 0.09963 | 0.9963 | <div style="width: 0.09963%;"></div> |
| CBG | 25654-31-3 | 0.001000 | 0.04613 | 0.4613 | <div style="width: 0.04613%;"></div> |
| d8-THC | 5957-75-5 | 0.001000 | ND | ND | |
| d10-THC | 95543-62-7 | 0.001000 | ND | ND | |
| THCV | 31262-37-0 | 0.001000 | ND | ND | |
| CBD | 13956-29-1 | 0.001000 | ND | ND | |
| CBDV | 24274-48-4 | 0.001000 | ND | ND | |
| CBC | 20675-51-8 | 0.001000 | ND | ND | |
| CBN | 521-35-7 | 0.001000 | ND | ND | |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.
 d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update batch ID

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Certificate of Analysis

Final



Flowerhouse Walden LLC


2736 NY-208
 Walden, NY 12586
 katie@flowerhouseny.com
 917-374-7735
 License #: OCM-AUCC-22-000111

Sample #: 1388

3.5g Jarred Flower

Terpenes by HS-GC-MS

Date Completed: 06/02/2023 12:54PM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|-------------------------|------------|---------|------|------------------------|
| R(+)-Limonene | 5989-27-5 | 0.10 | 0.23 | |
| trans-Caryophyllene | 87-44-5 | 0.10 | 0.21 | |
| Linalool | 78-70-6 | 0.10 | 0.16 | |
| alpha-Farnesene | 502-61-4 | 0.10 | 0.11 | |
| (-)-Borneol | 464-45-9 | 0.10 | ND | |
| (-)-Caryophyllene Oxide | 1139-30-6 | 0.10 | ND | |
| (-)-Isopulegol | 89-79-2 | 0.10 | ND | |
| (+)-Borneol | 464-43-7 | 0.10 | ND | |
| (+)-Cedrol | 77-53-2 | 0.10 | ND | |
| (1R)-(+)-Camphor | 464-49-3 | 0.10 | ND | |
| 3-Carene | 13466-78-9 | 0.10 | ND | |
| alpha-Bisabolol | 515-69-5 | 0.10 | ND | |
| alpha-Cedrene | 469-61-4 | 0.10 | ND | |
| alpha-Humulene | 6753-98-6 | 0.10 | ND | |
| alpha-Pinene | 80-56-8 | 0.10 | ND | |
| alpha-Terpinene | 99-86-5 | 0.10 | ND | |
| alpha-Terpineol | 98-55-5 | 0.10 | ND | |
| beta-Farnesene | 18794-84-8 | 0.10 | ND | |
| beta-Myrcene | 123-35-3 | 0.10 | ND | |
| beta-Pinene | 127-91-3 | 0.10 | ND | |
| Camphene | 79-92-5 | 0.10 | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update batch ID

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



Certificate of Analysis

Final



Flowerhouse Walden LLC

2736 NY-208
 Walden, NY 12586
 katie@flowerhouseny.com
 917-374-7735
 License #: OCM-AUCC-22-000111

Sample #: 1388

3.5g Jarred Flower

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|----------------------|------------|---------|----|------------------------|
| cis-Nerolidol | 142-50-7 | 0.10 | ND | |
| cis-Ocimene | 3338-55-4 | 0.10 | ND | |
| Endo-Fenchyl Alcohol | 14575-74-7 | 0.10 | ND | |
| Eucalyptol | 470-82-6 | 0.10 | ND | |
| Fenchone | 1195-79-5 | 0.10 | ND | |
| gamma-Terpinene | 99-85-4 | 0.10 | ND | |
| gamma-Terpineol | 586-81-2 | 0.10 | ND | |
| Geraniol | 106-24-1 | 0.10 | ND | |
| Geranyl Acetate | 105-87-3 | 0.10 | ND | |
| Guaiol | 489-86-1 | 0.10 | ND | |
| Hexahydro Thymol | 15356-70-4 | 0.10 | ND | |
| Nerol | 106-25-2 | 0.10 | ND | |
| p-Mentha-1,5-diene | 99-83-2 | 0.10 | ND | |
| Pulegone | 89-82-7 | 0.10 | ND | |
| Sabinene | 3387-41-5 | 0.10 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.10 | ND | |
| Terpinolene | 586-62-9 | 0.10 | ND | |
| trans-Nerolidol | 40716-66-3 | 0.10 | ND | |
| trans-Ocimene | 3779-61-1 | 0.10 | ND | |
| Valencene | 4630-07-3 | 0.10 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 06/01/2023 4:09 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|-------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.001 | 2.0 | ND | Pass |
| Mammalian Excreta | 0.001 | 0.03 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to update batch ID

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



Certificate of Analysis

Final



Flowerhouse Walden LLC

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Sample #: 1388

3.5g Jarred Flower

Foreign Matter by Microscopy

Pass

Analysis Date: 06/01/2023 4:09 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Stems | 0.001 | 5.0 | ND | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture by Analyzer

Pass

Analysis Date: 06/01/2023 12:45 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2 | 5 - 15 | 10.6 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity by Meter

Pass

Analysis Date: 06/01/2023 4:09 pm

| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05 | 0.65 | 0.47 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 06/21/2023 4:55 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------|------------|---------------|---------------|--------|
| Abamectin | 0.0100 | 0.5 | ND | Pass |
| Acephate | 0.0100 | 0.4 | ND | Pass |
| Acequinocyl | 0.0100 | 2 | ND | Pass |
| Acetamiprid | 0.0100 | 0.2 | ND | Pass |
| Aldicarb | 0.0100 | 0.4 | ND | Pass |
| Azadirachtin | 0.0100 | 1 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.2 | ND | Pass |
| Bifenazate | 0.0100 | 0.2 | ND | Pass |
| Bifenthrin | 0.0100 | 0.2 | ND | Pass |
| Boscalid | 0.0100 | 0.4 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

Amended to update batch ID

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



Certificate of Analysis

Final



Flowerhouse Walden LLC

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Sample #: 1388

3.5g Jarred Flower

Pesticides by LCMSMS

Pass

Analysis Date: 06/21/2023 4:55 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Captan | 0.0100 | 1 | ND | Pass |
| Carbaryl | 0.0100 | 0.2 | ND | Pass |
| Carbofuran | 0.0100 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.2 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1 | ND | Pass |
| Chloromequat Chloride | 0.0100 | 1 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.2 | ND | Pass |
| Clofentezine | 0.0100 | 0.2 | ND | Pass |
| Coumaphos | 0.0100 | 1 | ND | Pass |
| Cyfluthrin | 0.0100 | 1 | ND | Pass |
| Cypermethrin | 0.0100 | 1 | ND | Pass |
| Daminozide | 0.0100 | 1 | ND | Pass |
| Diazinon | 0.0100 | 0.2 | ND | Pass |
| Dichlorvos | 0.0100 | 1 | ND | Pass |
| Dimethoate | 0.0100 | 0.2 | ND | Pass |
| Dimethomorph | 0.0100 | 1 | ND | Pass |
| Ethoprophos | 0.0100 | 0.2 | ND | Pass |
| Etofenprox | 0.0100 | 0.4 | ND | Pass |
| Etoxazole | 0.0100 | 0.2 | ND | Pass |
| Fenhexamid | 0.0100 | 1 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.2 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.4 | ND | Pass |
| Fipronil | 0.0100 | 0.4 | ND | Pass |
| Fonicamid | 0.0100 | 1 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

Amended to update batch ID

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



Certificate of Analysis

Final



Flowerhouse Walden LLC

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Sample #: 1388

3.5g Jarred Flower

Pesticides by LCMSMS

Pass

Analysis Date: 06/21/2023 4:55 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| Fludioxonil | 0.0100 | 0.4 | ND | Pass |
| Hexythiazox | 0.0100 | 1 | ND | Pass |
| Imazalil | 0.0100 | 0.2 | ND | Pass |
| Imidacloprid | 0.0100 | 0.4 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.4 | ND | Pass |
| Malathion | 0.0100 | 0.2 | ND | Pass |
| Metalaxyl | 0.0100 | 0.2 | ND | Pass |
| Methiocarb | 0.0100 | 0.2 | ND | Pass |
| Methomyl | 0.0100 | 0.4 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.2 | ND | Pass |
| Mevinphos | 0.0100 | 1 | ND | Pass |
| MGK-264 | 0.0100 | 0.2 | ND | Pass |
| Myclobutanil | 0.0100 | 0.2 | ND | Pass |
| Naled | 0.0100 | 0.5 | ND | Pass |
| Oxamyl | 0.0100 | 1 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.4 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1 | ND | Pass |
| Permethrins, Total | 0.0100 | 0.2 | ND | Pass |
| Phosmet | 0.0100 | 0.2 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2 | ND | Pass |
| Prallethrin | 0.0100 | 0.2 | ND | Pass |
| Propiconazole | 0.0100 | 0.4 | ND | Pass |
| Propoxur | 0.0100 | 0.2 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to update batch ID

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director





Flowerhouse Walden LLC

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Sample #: 1388

3.5g Jarred Flower

Pesticides by LCMSMS

Pass

Analysis Date: 06/21/2023 4:55 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|------------------|------------|---------------|---------------|--------|
| Pyridaben | 0.0100 | 0.2 | ND | Pass |
| Spinetoram Total | 0.0100 | 1 | ND | Pass |
| Spinosad Total | 0.0100 | 0.2 | ND | Pass |
| Spiromesifen | 0.0100 | 0.2 | ND | Pass |
| Spirotetramat | 0.0100 | 0.2 | ND | Pass |
| Spiroxamine | 0.0100 | 0.2 | ND | Pass |
| Tebuconazole | 0.0100 | 0.4 | ND | Pass |
| Thiacloprid | 0.0100 | 0.2 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.2 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Analysis Date: 06/02/2023 10:39 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 06/02/2023 9:57 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.01 | 2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

Amended to update batch ID

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



Certificate of Analysis

Final



Flowerhouse Walden LLC

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Sample #: 1388

3.5g Jarred Flower

Heavy Metals by ICPMS

Pass

Analysis Date: 06/02/2023 9:57 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Arsenic | 0.001 | 0.2 | 0.11 | Pass |
| Cadmium | 0.0015 | 0.3 | 0.025 | Pass |
| Chromium | 0.28 | 110 | ND | Pass |
| Copper | 0.075 | 30 | 8.2 | Pass |
| Lead | 0.0025 | 0.5 | 0.010 | Pass |
| Mercury | 0.0005 | 0.1 | ND | Pass |
| Nickel | 0.01 | 2 | ND | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 06/01/2023 11:38 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 0 | 0 | Not Detected | Pass |
| Salmonella Qualitative | 0 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 0 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | 25000 | Pass |
| Total Yeast & Mold | 10 | | ND | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to update batch ID

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director

