



Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Date Released: 7/13/2023 6:10:12PM

Report #: 2284

FH0398

Sample #: 1746, Weight: 13.00g, Unit Count:
Order #: X230629-0005

Category/Type: Plant, Flower - Cured
Date Collected: 6/29/2023 4:33:09PM
Date Received: 6/29/2023 4:40:18PM
Regulator Sample ID: FH0398
Regulator Source Package ID: FH0398
Regulator Batch ID: FH0398

Size: 3238Unit, Unit Count:



Total Cannabinoids
27.55 %
275.5 mg/g



Total THC
23.72 %
237.2 mg/g



Total CBD
0.1257 %
1.257 mg/g



Total Terpenes
1.1 %



Moisture
13.6 %



Heavy Metals
PASS



Microbials
PASS



Pesticides
PASS



Mycotoxins
PASS



Foreign Matter
PASS



Water Activity
PASS

Potency Analysis by HPLC

Total Cannabinoids: 27.55 % - 275.5 mg/g
Total THC: 23.72 % - 237.2 mg/g
Total CBD: 0.1257 % - 1.257 mg/g

Date Completed: 07/10/2023 12:02PM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	25.66	256.6	95.5%
d9-THC	1972-08-3	0.001000	1.221	12.21	4.4%
CBGa	25555-57-1	0.001000	0.3903	3.903	1.4%
CBDa	1244-58-2	0.001000	0.1433	1.433	0.5%
CBG	25654-31-3	0.001000	0.1203	1.203	0.4%
CBDV	24274-48-4	0.001000	0.01360	0.1360	0.05%
d8-THC	5957-75-5	0.001000	ND	ND	0%
d10-THC	95543-62-7	0.001000	ND	ND	0%
THCV	31262-37-0	0.001000	ND	ND	0%
CBD	13956-29-1	0.001000	ND	ND	0%
CBC	20675-51-8	0.001000	ND	ND	0%
CBN	521-35-7	0.001000	ND	ND	0%

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis


Final

Sample #: 1746

FH0398

Terpenes by HS-GC-MS

Date Completed: 07/13/2023 10:31AM



Compound	CAS#	LOQ (%)	%	Relative Concentration
----------	------	---------	---	------------------------

trans-Caryophyllene	87-44-5	0.1000	0.4152	
R(+)-Limonene	5989-27-5	0.1000	0.1868	
Linalool	78-70-6	0.1000	0.1648	
alpha-Farnesene	502-61-4	0.1000	0.1641	
beta-Farnesene	18794-84-8	0.1000	0.1371	
(-)-Borneol	464-45-9	0.1000	ND	
(-)-Caryophyllene Oxide	1139-30-6	0.1000	ND	
(-)-Isopulegol	89-79-2	0.1000	ND	
(+)-Borneol	464-43-7	0.1000	ND	
(+)-Cedrol	77-53-2	0.1000	ND	
(1R)-(+)-Camphor	464-49-3	0.1000	ND	
3-Carene	13466-78-9	0.1000	ND	
alpha-Bisabolol	515-69-5	0.1000	ND	
alpha-Cedrene	469-61-4	0.1000	ND	
alpha-Humulene	6753-98-6	0.1000	ND	
alpha-Pinene	80-56-8	0.1000	ND	
alpha-Terpinene	99-86-5	0.1000	ND	
alpha-Terpineol	98-55-5	0.1000	ND	
beta-Myrcene	123-35-3	0.1000	ND	
beta-Pinene	127-91-3	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
cis-Nerolidol	142-50-7	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director





Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 1746

FH0398

Compound	CAS#	LOQ (%)	%	Relative Concentration
cis-Ocimene	3338-55-4	0.1000	ND	
Endo-Fenchyl Alcohol	14575-74-7	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
gamma-Terpinene	99-85-4	0.1000	ND	
gamma-Terpineol	586-81-2	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Hexahydro Thymol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
p-Mentha-1,5-diene	99-83-2	0.1000	ND	
Pulegone	89-82-7	0.1000	ND	
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
trans-Nerolidol	40716-66-3	0.1000	ND	
trans-Ocimene	3779-61-1	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 07/10/2023 11:36 am

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Excreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



**Flowerhouse Walden LLC**

2736 NY-208
 Walden, NY 12586
 katie@flowerhouseny.com
 917-374-7735
 License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 1746**FH0398****Moisture by Analyzer****Pass**

Analysis Date: 07/06/2023 4:46 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	13.6	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity by Meter**Pass**

Analysis Date: 07/10/2023 11:36 am

Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.60	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS**Pass**

Analysis Date: 07/12/2023 10:35 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.5	ND	Pass
Acephate	0.0100	0.4	ND	Pass
Acequinocyl	0.0100	2	0.0463	Pass
Acetamiprid	0.0100	0.2	ND	Pass
Aldicarb	0.0100	0.4	ND	Pass
Azadirachtin	0.0100	1	ND	Pass
Azoxystrobin	0.0100	0.2	ND	Pass
Bifenazate	0.0100	0.2	ND	Pass
Bifenthrin	0.0100	0.2	ND	Pass
Boscalid	0.0100	0.4	ND	Pass
Captan	0.0100	1	ND	Pass
Carbaryl	0.0100	0.2	ND	Pass
Carbofuran	0.0100	0.2	ND	Pass
Chlorantraniliprole	0.0100	0.2	ND	Pass
Chlordane-alpha	0.0100	1	ND	Pass
Chlorfenapyr	0.0100	1	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



**Flowerhouse Walden LLC**

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 1746**FH0398****Pesticides by LCMSMS****Pass**

Analysis Date: 07/12/2023 10:35 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Chloromequat Chloride	0.0100	1	ND	Pass
Chlorpyrifos	0.0100	0.2	ND	Pass
Clofentezine	0.0100	0.2	ND	Pass
Coumaphos	0.0100	1	ND	Pass
Cyfluthrin	0.0100	1	ND	Pass
Cypermethrin	0.0100	1	ND	Pass
Daminozide	0.0100	1	ND	Pass
Diazinon	0.0100	0.2	ND	Pass
Dichlorvos	0.0100	1	ND	Pass
Dimethoate	0.0100	0.2	ND	Pass
Dimethomorph	0.0100	1	ND	Pass
Ethoprophos	0.0100	0.2	ND	Pass
Etofenprox	0.0100	0.4	ND	Pass
Etoxazole	0.0100	0.2	ND	Pass
Fenhexamid	0.0100	1	ND	Pass
Fenoxycarb	0.0100	0.2	ND	Pass
Fenpyroximate	0.0100	0.4	ND	Pass
Fipronil	0.0100	0.4	ND	Pass
Flonicamid	0.0100	1	ND	Pass
Fludioxonil	0.0100	0.4	ND	Pass
Hexythiazox	0.0100	1	ND	Pass
Imazalil	0.0100	0.2	ND	Pass
Imidacloprid	0.0100	0.4	ND	Pass
Indolebutyric Acid	0.0100	1	ND	Pass
Kresoxim-methyl	0.0100	0.4	ND	Pass
Malathion	0.0100	0.2	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



**Flowerhouse Walden LLC**

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 1746**FH0398****Pesticides by LCMSMS****Pass**

Analysis Date: 07/12/2023 10:35 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Metalaxyl	0.0100	0.2	ND	Pass
Methiocarb	0.0100	0.2	ND	Pass
Methomyl	0.0100	0.4	ND	Pass
Methyl Parathion	0.0100	0.2	ND	Pass
Mevinphos	0.0100	1	ND	Pass
MGK-264	0.0100	0.2	ND	Pass
Myclobutanil	0.0100	0.2	ND	Pass
Naled	0.0100	0.5	ND	Pass
Oxamyl	0.0100	1	ND	Pass
Paclobutrazol	0.0100	0.4	ND	Pass
Pentachloronitrobenzene	0.0100	1	ND	Pass
Permethrins, Total	0.0100	0.2	ND	Pass
Phosmet	0.0100	0.2	ND	Pass
Piperonyl Butoxide	0.0100	2	ND	Pass
Prallethrin	0.0100	0.2	ND	Pass
Propiconazole	0.0100	0.4	ND	Pass
Propoxur	0.0100	0.2	ND	Pass
Pyrethrins Total	0.0100	1	ND	Pass
Pyridaben	0.0100	0.2	ND	Pass
Spinetoram Total	0.0100	1	ND	Pass
Spinosad Total	0.0100	0.2	ND	Pass
Spiromesifen	0.0100	0.2	ND	Pass
Spirotetramat	0.0100	0.2	ND	Pass
Spiroxamine	0.0100	0.2	ND	Pass
Tebuconazole	0.0100	0.4	ND	Pass
Thiacloprid	0.0100	0.2	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 1746

FH0398

Pesticides by LCMSMS

Pass

Analysis Date: 07/12/2023 10:35 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Thiamethoxam	0.0100	0.2	ND	Pass
Trifloxystrobin	0.0100	0.2	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Analysis Date: 07/12/2023 10:35 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 07/11/2023 10:22 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2	0.0221	Pass
Arsenic	0.00100	0.2	0.143	Pass
Cadmium	0.00150	0.3	0.0224	Pass
Chromium	0.280	110	2.26	Pass
Copper	0.0750	30	7.93	Pass
Lead	0.00250	0.5	0.0208	Pass
Mercury	0.000500	0.1	0.00145	Pass
Nickel	0.0100	2	ND	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director





Flowerhouse Walden LLC

2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 1746

FH0398

Micro by Petri & qPCR

Pass

Analysis Date: 07/07/2023 11:33 am

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	0	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	0	0	Not Detected	Pass
Aspergillus niger Qualitative	0	0	Not Detected	Pass
Aspergillus terreus Qualitative	0	0	Not Detected	Pass
Salmonella Qualitative	0	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	0	0	Not Detected	Pass
Total Aerobic Bacteria	10		93000	Pass
Total Yeast & Mold	10		2000	Pass

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. **Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director

